

| GLOBAL MOBILITY LIGHTING SOLUTION PARTNER

EXCELITE

Beyond Lighting,
Drives Excellence

EXCELITE
Mobility Lighting Solution

The Ultimate Standard in LEDr Homologation

- The only brand alongside Osram and Philips to achieve official European road-legal approval

Street Legal Across Europe


- Experience superior tech & exceptional lighting stability

Precise Cut-Off Line

- No glare for oncoming traffic
- Ensuring safe and comfortable night driving

Globally Renowned Premium Chips

- Proven performance and reliability



LEDr META H7

- **Street Legal in Germany; ABG Certification**
- **Precise Cut-Off Line**
 - No glare, ensuring safe and comfortable night driving
- **Equipped with Globally Renowned Premium Chips**
 - Proven performance and reliability

Power	14.5W ± 10%
Lumen	1500 Lm ± 10%
Color Temperature	6000K (White Zone)



LEDr META Car Application

EXCELITE
Mobility Lighting Solution

**Target
Coverage
50 %
By 2027**

**Coverage Vehicle
Total 24 types**

**Adding coverage
In 2026
To meet the Target**

Vehicle	Type	Headlight Approval	Coverage	Adapter Type	CAP	CANBUS
1 Series Gen.2	F20/F21	E1 3132	0.7	Type D	-	-
3 Series F/L	F30/31/34	E1 4041	0.7	Type D	-	-
A1 Gen 1 F/L	8X	E9 11198	0.5	Reference Ring	-	-
ASTRA J	P-J	E1 2820	0.8	Type D	Cap02	-
ASTRA K	B-K	E9 11834	1.1	Reference Ring	Cap04	Canbus 1
Caddy 3 (Facelift)	2K	E1 2855	0.6	Type E	-	-
Caddy 3 F/L	2K	E1 2855	0.6	Type E	-	-
Caddy 4	DU	E8 7567	0.8	Type D	-	-
Fiesta 7	JA8/JR8	E8 6390	1.2	Reference Ring	Cap03	-
Fiesta 8	JHH	E4 25168	0.7	Type G	-	Canbus 1
Focus 3	DYB	E4 14819	0.7	Type H	-	Canbus 1
Focus 3 F/L	DYB	E8 7095	1	Type G	-	-
Focus 4	DEH	E8 9147	0.5	Type G	Cap01	-
Golf 6	1K	E8 4816	1.5	Type E	-	-
Golf 7	AU	E9 6765	3.2	Type E	-	-
Golf 7 F/L	AU	E8 8526	1.1	Type D	-	-
Passat B7	3AA	E1 3058	1	Reference Ring	-	-
Passat B8	3G	E1 11464	1	Reference Ring	-	-
Polo 5	6R	E1 2714	0.7	Type D	-	-
Polo 5(F/L)	6C	E8 6879	0.7	Type D	-	-
Tiguan 1 F/L	5N2	E1 3175	1.1	Type E	-	-
Tiguan 2	AD1	E1 4116	0.8	Type F	-	-
Touran 1 F/L 2	1T	E1 2855	0.8	Type E	-	-
T-ROC	A1	E9 16552	0.7	Type E	-	-
2er Tourer	F45/F46	E1 3680	0.3			
A-Klasse Gen. 2	W176	E1 3255	0.5			
C-Klasse Gen. 4	W205	E2 3528	0.5			
X1 Gen. 2	F48	E9 11708s	0.3			
X1 Gen.1 (Facelift)	F48	-	0.3			
Polo 6	AW	E9 16592	1.1			

LEDr ECE H11

- Street Legal Across Europe* ; ECE Certification
- High-Tech Optical Engineering
 - Optimized light distribution
- Precise Cut-Off Line technology
- High-End Componentry with top-tier global LED chips
- Proven performance and reliability

Power	Max 15W
Lumen	1350 Lm ± 10%
Color Temperature	6000K (White Zone)



Upcoming LEDr Series Innovation Roadmap

Name	META HYPER H7	META HYPER H4	LEDr ECE H8	LEDr ECE H16	LEDr ECE HB4/9006
Pictures					
Certification	ABG	ABG	ECE	ECE	ECE
Lumen Output	1500 Lm $\pm$ 10%	1000/1600 Lm $\pm$ 10%	1350 Lm $\pm$ 10%	1350 Lm $\pm$ 10%	1350 Lm $\pm$ 10%
Wattage	14.5W $\pm$ 10%	14W $\pm$ 10%	Max 15W	Max 15W	Max 15W
Color Temp.	6000K (White Zone)	6000K (White Zone)	6000K (White Zone)	6000K (White Zone)	6000K (White Zone)
Status	Restructure process according to new KBA regulations (2025.Dec)	Development in progress	Application for Certificate 2 nd half in 2026	Application for Certificate 2 nd half in 2026	Application for Certificate 2 nd half in 2026

Automotive LEDr Series Comparison

EXCELITE
Mobility Lighting Solution

LEDr Non-Homologation

Key Features	Standard	Super	Hyper	Ultra	Ultra Hyper	Xenon HID	MOTO
Pictures							
Lumen Output	1100-1800 Lm	1450-1900 Lm	1500-2000 Lm	3500-4000 Lm	3000-4000 Lm	4000-5000 Lm	3500-4000 Lm
Wattage	10.5W ~ 18W	14W ~ 20W	16W ~ 20W	50W	30W ~ 40W	40W ~ 45W	40W ~ 45W
Lifetime	5000 Hours	5000 Hours	5000 Hours	3000 Hours	3000 Hours	5000 Hours	5000 Hours
Color Temp.	6000K	6000K	6000K	6000K	6000K	6000K	6000K
Core Value	Basic & Balanced Entry-Level	Engineered for Excellence Performance & Durability	Compact Size for Plug & Play Efficiency	Maximum Intensity for rural Roads & Dark	High-Output Compact Size	High Efficiency for HID Equipped Vehicles	Vibration Resistant, Ride- Safe for Moto Riders

LEDr Standard Series

- Proven performance and reliability
- Standard-setting LED performance – built to last
- **Tired of cheap LEDs that shine bright then fade fast?**


Experience sustained brightness with our high-performance Korean-made solution

- Compatible with both 12V & 24V – perfect for sedans & trucks
- Engineered for stability, longevity, and best value
- Available types: H1, H3, H4/H19, H7, H8/H9/H11/H16, 800s, HB3/HB4, 9007, HIR2(9012)



Standard 800s

**Standard
1200Lm
LEDr LAMP**



Product Details


- Range : Standard 800's
- Voltage : 12V/ 24V
- Wattage : 10.5W±10%
- Lumen : 1200Lm ±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 49 g
- Packing Quantity : 20 sets

Standard HB3/HB4

**Standard
1800Lm
LEDr LAMP**



Product Details

- Range : Standard HB3/HB4
- Voltage : 12V/ 24V
- Wattage : 18W±10%
- Lumen : 1800Lm ±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 52 g
- Packing Quantity : 20 sets


Standard 9007

**Standard
1800Lm
LEDr LAMP**



Product Details

- Range : Standard 9007
- Voltage : 12V/ 24V
- Wattage : 18W $\pm$ 10%
- Lumen : 1800Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 72 g
- Packing Quantity : 20 sets


Standard H1

**Standard
1500Lm
LEDr LAMP**



Product Details

- Range : Standard H1
- Voltage : 12V/ 24V
- Wattage : 15W $\pm$ 10%
- Lumen : 1500Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)




Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 42 g
- Packing Quantity : 20 sets

Standard H3

**Standard
1500Lm
LEDr LAMP**



Product Details


- Range : Standard H3
- Voltage : 12V/ 24V
- Wattage : 15W±10%
- Lumen : 1500Lm ±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 40 g
- Packing Quantity : 20 sets

Standard H4/H19

**Standard
1100Lm
LEDr LAMP**



Product Details


- Range : Standard H4/ H19
- Voltage : 12V/ 24V
- Wattage : 18W±10%
- Lumen : 1100lm±10% / 1600lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 62 g
- Packing Quantity : 20 sets

Standard H7

**Standard
1800Lm
LEDr LAMP**



Product Details


- Range : Standard H7
- Voltage : 12V/ 24V
- Wattage : 18W±10%
- Lumen : 1800Lm ±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 49 g
- Packing Quantity : 20 sets

Standard H8/H9/H11/H16

**Standard
1800Lm
LEDr LAMP**



Product Details


- Range : Standard H8/ H9/ H11/ H16
- Voltage : 12V/ 24V
- Wattage : 18W±10%
- Lumen : 1800Lm ±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 53 g
- Packing Quantity : 20 sets

Standard HIR2(9012)

**Standard
1800Lm
LEDr LAMP**



Product Details

- Range : Standard HIR2(9012)
- Voltage : 12V/ 24V
- Wattage : 18W $\pm$ 10%
- Lumen : 1800Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 56 g
- Packing Quantity : 20 sets


LEDr SUPER Series

- Engineered for Excellence. Designed to Endure
- Featuring **high-quality Lumileds chips** with a **lifespan of up to 5,000 hours**, our LED lamps ensure **perfect performance and durability**
- **Certified for public road use in Korea** – Drive with confidence
- **Innovative, standout design** that combines style and function
- Available types: H1, H4/H19, H7/H18, H8/H9/H11/H16, H13(9008), 800s, 9007, HB3/HB4



SUPER H1

**SUPER
1450Lm
LEDr LAMP**



Product Details


- Range : SUPER H1
- Voltage : 12V/ 24V
- Wattage : 14W $\pm$ 10%
- Lumen : 1450lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 49 g
- Packing Quantity : 20 sets

SUPER HB3/HB4

**SUPER
1450Lm
LEDr LAMP**



Product Details

- Range : SUPER HB3/HB4
- Voltage : 12V/ 24V
- Wattage : 20W $\pm$ 10%
- Lumen : 1450lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 52 g
- Packing Quantity : 20 sets


SUPER 800s

**SUPER
1450Lm
LEDr LAMP**



Product Details

- Range : SUPER 800s
- Voltage : 12V/ 24V
- Wattage : 14W±10%
- Lumen : 1450lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 52 g
- Packing Quantity : 20 sets


SUPER 9007

**SUPER
1900Lm
LEDr LAMP**



Product Details

- Range : SUPER 9007
- Voltage : 12V/ 24V
- Wattage : 15W±10%/ 19W±10%
- Lumen : 1900lm±10%/ 1500lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)




Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 72 g
- Packing Quantity : 20 sets

SUPER H4/H19

**SUPER
1700Lm
LEDr LAMP**



Product Details


- Range : SUPER H4/ H19
- Voltage : 12V/ 24V
- Wattage : 18W±10%
- Lumen : 1700lm±10%/ 1100lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 63 g
- Packing Quantity : 20 sets

SUPER H7/H18

**SUPER
1800Lm
LEDr LAMP**



Product Details


- Range : SUPER H7/ H18
- Voltage : 12V/ 24V
- Wattage : 20W±10%
- Lumen : 1800lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 38 g
- Packing Quantity : 20 sets

SUPER H8/H9/H11/H16

**SUPER
1800Lm
LEDr LAMP**



Product Details


- Range : SUPER H8/ H9/ H11/ H16
- Voltage : 12V/ 24V
- Wattage : 20W±10%
- Lumen : 1800lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 38 g
- Packing Quantity : 20 sets

SUPER H13(9008)

**SUPER
1900Lm
LEDr LAMP**



Product Details

- Range : SUPER H13(9008)
- Voltage : 12V/ 24V
- Wattage : 15W±10%/ 19W±10%
- Lumen : 1900Lm±10%/ 1500Lm±10%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 62 g
- Packing Quantity : 20 sets

LEDr HYPER Series

- **Plug & Play – No Wiring Needed**

Enjoy a hassle-free installation in minutes with no additional cables or modifications required

- **Compact Halogen-like Size** - Designed to match the size of standard halogen bulbs, our LEDs fit perfectly in tight spaces without compromising performance


- **H4/H19 and H7/H18 compatibility**

- Available types: H4/H19, H7/H18, H8/H9/H11/H16, HB3/HB4



HYPER H4/H19

**HYPER
1800Lm
LEDr LAMP**



Product Details


- Range : HYPER H4/ H19
- Voltage : 12V
- Wattage : 20W $\pm$ 10%
- Lumen : 1800lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 62 g
- Packing Quantity : 20 sets

HYPER H7/H18

**HYPER
1500Lm
LEDr LAMP**



Product Details


- Range : HYPER H7/ H18
- Voltage : 12V
- Wattage : 16W $\pm$ 10%/ 19W $\pm$ 10%
- Lumen : 1500Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 38 g
- Packing Quantity : 20 sets

HYPER H8/H9/H11/H16

**HYPER
2000Lm
LEDr LAMP**



Product Details


- Range : HYPER H8/ H9/ H11/ H16
- Voltage : 12V
- Wattage : 20W $\pm$ 10%
- Lumen : 2000lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 38 g
- Packing Quantity : 20 sets

HYPER HB3/HB4

**HYPER
2000Lm
LEDr LAMP**



Product Details

- Range : HYPER HB3/ HB4
- Voltage : 12V
- Wattage : 20W $\pm$ 10%/ 19W $\pm$ 10%
- Lumen : 2000Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 52 g
- Packing Quantity : 20 sets


LEDr ULTRA Series

- **No More Fading. Just Pure, Steady Light**
Our advanced LED technology delivers **stable, long-lasting brightness** — from the first ignition to the final mile.
- **Up to 2× Brighter** than standard LEDs – the strongest and most intense beam we've ever built
- **Built for Dark Roads** – Ideal for rural, unlit routes where visibility matters most.
- Available types: H4/H19, H7/H18, H8/H9/H11/H16, HB3/HB4



ULTRA H4/H19

ULTRA
4000Lm
LEDr LAMP




Product Details

- Range : ULTRA H4/ H19
- Voltage : 12V/ 24V
- Wattage : 50W±15%
- Lumen : 4000Lm±15% / 3500Lm±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)
- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 163 g
- Packing Quantity : 20 sets

Package Set

ULTRA H7/H18

ULTRA
4000Lm
LEDr LAMP




Product Details

- Range : ULTRA H7/ H18
- Voltage : 12V/ 24V
- Wattage : 50W±15%
- Lumen : 4000Lm±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)
- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 140 g
- Packing Quantity : 20 sets

Package Set

ULTRA H8/H9/H11/H16

ULTRA
4000Lm
LEDr LAMP



Product Details


- Range : ULTRA H8/ H9/ H11/ H16
- Voltage : 12V/ 24V
- Wattage : 50W±15%
- Lumen : 4000lm±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)

Package Set

- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 146 g
- Packing Quantity : 20 sets

ULTRA HB3/HB4

ULTRA
4000Lm
LEDr LAMP



Product Details

- Range : ULTRA HB3/ HB4
- Voltage : 12V/ 24V
- Wattage : 50W±15%
- Lumen : 4000lm±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)

Package Set

- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 147 g
- Packing Quantity : 20 sets

LEDr ULTRA HYPER Series

- **Plug & Play – No Wiring Needed**

Fast installation with no extra cables or modifications required

- **Higher Watt. Higher Output**

ULTRA HYPER delivers increased wattage and stronger illumination than standard HYPER LEDs

- **Compact Halogen-like Size**

Fits in tight spaces without performance compromise


- **H4/H19 & H7/H18 compatible**

- Available types: H4/H19, H7/H18, H8/H9/H11/H16, HB3/HB4



Ultra Hyper H4/H19

Ultra Hyper
3000Lm
LEDr LAMP



Product Details


- Range : Ultra Hyper H4/H19
- Voltage : 12V
- Wattage : 35W±15% (H)
35W±15% (L)
- Lumen : 3000Lm ±15% (H)
2300Lm ±15% (L)
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)

Package Set

- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 46 g
- Packing Quantity : 20 sets

Ultra Hyper H7/H18

Ultra Hyper
3500Lm
LEDr LAMP



Product Details

- Range : Ultra Hyper H7/H18
- Voltage : 12V
- Wattage : 30W±15%
- Lumen : 3500Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)

Package Set


- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 19 g
- Packing Quantity : 20 sets

Ultra Hyper H8/H9/H11/H16

Ultra Hyper
4000Lm
LEDr LAMP



Product Details



Package Set


- Range : Ultra Hyper H8/H9/H11/H16
- Voltage : 12V
- Wattage : 40W±15%
- Lumen : 4000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)
- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 37 g
- Packing Quantity : 20 sets

Ultra Hyper HB3/HB4

Ultra Hyper
4000Lm
LEDr LAMP



Product Details



Package Set

- Range : Ultra HyperHB3/HB4
- Voltage : 12V
- Wattage : 40W±15%
- Lumen : 4000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 3000 (h)
- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 38 g
- Packing Quantity : 20 sets

LEDr Xenon HID Series

- **Upgrade to LED** — even in HID-equipped vehicles.
Now you can enjoy **brighter, cleaner, and more efficient lighting** without replacing your entire system.
- **Eco-Friendly** – Mercury-free and environmentally safe
- **Energy Efficient** – Lower power consumption and minimal heat emission
- Available types: D1, D2, D3/D8, D4, D5




Xenon HID D1

**Xenon HID
4000Lm
LEDr LAMP**



Product Details

- Range : Xenon HID D1
- Voltage : 12V
- Wattage : 40W±15%
- Lumen : 4000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 71 g
- Packing Quantity : 20 sets


Xenon HID D2

**Xenon HID
5000Lm
LEDr LAMP**



Product Details

- Range : Xenon HID D2
- Voltage : 12V
- Wattage : 40W±15%
- Lumen : 5000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 77 g
- Packing Quantity : 20 sets


Xenon HID D3/ D8

**Xenon HID
4000Lm
LEDr LAMP**



Product Details

- Range : Xenon HID D3/ D8
- Voltage : 12V
- Wattage : 40W±15%
- Lumen : 4000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 71 g
- Packing Quantity : 20 sets


Xenon HID D4

**Xenon HID
4000Lm
LEDr LAMP**



Product Details

- Range : Xenon HID D4
- Voltage : 12V
- Wattage : 45W±15%
- Lumen : 4000Lm ±15%
- Kelvin : 6000K ±10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 89 g
- Packing Quantity : 20 sets


Xenon HID D5

Xenon HID
5000Lm
LEDr LAMP



Product Details

- Range : Xenon HID D5
- Voltage : 12V
- Wattage : 45W $\pm$ 15%
- Lumen : 5000Lm $\pm$ 15%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)



Package Set

- I/N Box Size : 370x165x165 mm
- C/T Box Size : 400x370x370 mm
- Weight per pc : 122 g
- Packing Quantity : 20 sets

LEDr MOTO Series


- **Upgrade to LED** — even in HID-equipped vehicles.

Now you can enjoy **brighter, cleaner, and more efficient lighting** without replacing your entire system.

- **Eco-Friendly** – Mercury-free and environmentally safe
- **Energy Efficient** – Lower power consumption and minimal heat emission
- Available types: HS1, M5, S2



MOTO S2



Product Details

- Range : MOTO HS1
- Voltage : 12V
- Wattage : 4.5W $\pm$ 10%
- Lumen : 550Lm $\pm$ 10%
- Kelvin : 6000K $\pm$ 10%
- Lifetime : 5000 (h)

Package Set

- I/N Box Size : 281x136x148 mm
- C/T Box Size : 300x295x320 mm
- Weight per pc : 15 g
- Packing Quantity : 40 pcs



THANK YOU

EXCELITE
Mobility Lighting Solution