PRODUCT CATALOGUE - 2026 EDITION

LIGHT. PRECISION. PERFORMANCE.

LED headlights, bulbs and Canbus modules engineered for automotive demands: measured power, proven reliability and effortless installation.



Night Breaker · Smart Drive · Dual-Beam · No Error · 360 Power · Tri-Color · Mini Projector

orders@luxlitelamp.com

HIGH-PERFORMANCE LED HEADLIGHT


DARK SPLITTER V22

Maximum brightness for safer night driving.



AVAILABLE REFERENCES

H4 / 9003	95661-005
H7	95607-005
HB3 / 9005	95623-005
HB4 / 9006	95621-005
H11 / H16 / H8	95201-005
H1	95655-005



SPECIFICATIONS

BRIGHTNESS	**6000 LM**
POWER	**24 W**
COLOR TEMPERATURE	**6000 K**
VOLTAGE	**DC 12/24V**
WATERPROOF RATING	**IP65**
WARRANTY	**2 Years**

POWERFUL COOLING | NON-POLARITY DRIVER

Hi/low beam model: H4 ,9007,9004,,H13

single-beam model: H7,H8,H9,H11,H10, H11,HB3, HB4,H1,H3,880,881,5202.

KEY BENEFITS

1. Sunken chip design improves focus and keeps the light source close to the reflector.
2. TST cooling technology and copper-board construction maintain stable brightness.
3. Compact single-row LED architecture fits factory optics more naturally.
4. High-speed silent fan supports long service life during intensive use.

CANBUS LED HEADLIGHT

SMART DRIVE U1D


Powerful lighting with intelligent error-free technology.



AVAILABLE REFERENCES

D1R/D1S	92005-005
D2R/D2S	92002-005
D3R/D3S	92000-005
D4R/D4S	92003-005





SPECIFICATIONS

BRIGHTNESS	**8000-10000 LM**
POWER	**40-50 W**
COLOR TEMPERATURE	**6000 K**
WATERPROOF RATING	**IP65**
WARRANTY	**1 Year**

BUILT-IN THERMOSTAT | 1:1 OEM REPLACEMENT | LOW BEAM

KEY BENEFITS

1. Aviation-grade aluminum body increases heat dissipation by up to 300%.
2. Copper heat-pipe transfer and intelligent thermal management stabilize output.

DUAL-BEAM LED HEADLIGHT


DUAL-BEAM V10PS


High and low beam power.



AVAILABLE REFERENCES

H1	93655-005
H11	93201-005
H7	93607-005
H4	93661-005
H8	93008-005
HB3	93623-005
HB4	93621-005





SPECIFICATIONS

BRIGHTNESS	**4000 LM**
POWER	**15 W**
COLOR TEMPERATURE	**6000 K**
WATERPROOF RATING	**IP67**
WARRANTY	**2 Years**

IP67 | 1:1 OEM REPLACEMENT

Hi/low beam model: H4 ,9007,9004,,H13

single-beam model: H7,H8,H9,H11,H10, H11,HB3, HB4,H1,H3,880,881,5202.

KEY BENEFITS

1. 1:1 OEM halogen size allows a straightforward retrofit installation.
2. 4420 auto-grade chips and a copper substrate enhance beam consistency.

CANBUS DECODER

NO ERROR ASL DECODER

Eliminates dashboard errors and LED flickering.



AVAILABLE REFERENCES

H4	95031-005
H7	95032-005
9005/9006/ 9012/H10/H12	95033-005
H8/H9/H11/ H16(JP)/880/881	95034-005
H1/H3/D1/D2/D3/D4	95035-005


IP67


INCREASE POWER

FUNCTION:

- ELIMINATES WARNING LIGHTS
- ELIMINATES RAPID-FLASHING
- PASS PWM SIGNAL INSPECTION
- POLARITY CONVERSION
- INCREASE POWER

FIRST LEVEL PULSE SIGNAL SHIELD
for solve High-Frequency intense blinking problem.

SECOND LEVEL PULSE SIGNAL SHIELD
for solve High-Frequency intense blinking problem.

POLARITY CONVERSION
make all LED headlight transformed to Non-Polarity. No problem to DC & AC power.

RESISTORS GROUP
raise working power of the LED headlight for pass the electric circuit inspection by automotive computer.



SPECIFICATIONS

VOLTAGE	**9-16 V**
CURRENT	**0.5-5A @13.5V**
POWER	**5-70W @13.5V**
WORKING TEMP.	**-40°C to +85°C**

IP67 | INCREASE POWER | POLARITY CONVERSION

KEY BENEFITS

1. Dual-level pulse shielding removes flickering and unstable signals.
2. Integrated resistor group helps eliminate dashboard warning messages.

360° HIGH-POWER LED BULB

360 POWER G15


Bright, uniform light from every angle.



AVAILABLE REFERENCES

1157 / BAY15D -Red	95022-005
7443-Red	95023-005
3157-Red	95024-005
1156 / BA15S-Red	95025-005
1156 / BA15S-Amber	95026-005
7440-Red	95027-005
7440-Amber	95028-005
3156-Red	95029-005
3156-Amber	95030-005





SPECIFICATIONS

BRIGHTNESS	**850 LM**
POWER	**8 W**
COLOR TEMPERATURE	**white /red/Amber**
VOLTAGE	**DC 9/16V**
WATERPROOF RATING	**IP65**
WARRANTY	**2 Years**

360° FULL-ANGLE OUTPUT · 60PCS 3014 CHIPS · NON-POLARITY DRIVER

KEY BENEFITS

1. 360° full-angle output creates a bright and even light pattern.
2. 6063 aluminum construction improves heat dissipation and durability.


TRIFA